

# Name and Number Log, centralized

OPERATIONAL DIRECTIONS



## NOTICE

The information contained in this document is believed to be accurate in all respects but is not warranted by Mitel Networks™ Corporation (MITEL®). Mitel makes no warranty of any kind with regards to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes.

No part of this document can be reproduced or transmitted in any form or by any means - electronic or mechanical - for any purpose without written permission from Mitel Networks Corporation.

## TRADEMARKS

The trademarks, service marks, logos and graphics (collectively "Trademarks") appearing on Mitel's Internet sites or in its publications are registered and unregistered trademarks of Mitel Networks Corporation (MNC) or its subsidiaries (collectively "Mitel") or others. Use of the Trademarks is prohibited without the express consent from Mitel. Please contact our legal department at [legal@mitel.com](mailto:legal@mitel.com) for additional information. For a list of the worldwide Mitel Networks Corporation registered trademarks, please refer to the website: <http://www.mitel.com/trademarks>.

© Copyright 2022, Mitel Networks Corporation

All rights reserved

## 1 GENERAL

The centralized Name and Number Log feature allows a user of a DTS extension with soft-keys or a user of a Mitel 6800/6900 SIP telephone or SIP Client (MiCollab) to keep a record of the unanswered calls made to the extension.

Information about the number and name, if available, of the calling party and the time and date when the call was terminated is recorded in the log. The time needed to register an unanswered call is defined with a Market Dependent Parameter (MDP), changeable by command *ASPAC*.

## 2 PREREQUISITES

An appropriate model of SIP terminal, SIP client (MiCollab), or DTS that supports the feature must be used.

The Mitel 6800 SIP phone must use SW version 4.1 or later. The MiCollab client must be version 9.5 or later. The configuration SIP terminal/client must also be appropriately configured for the centralized call (name and number) log.

## 3 AIDS

I/O terminal.

## 4 REFERENCES

In these operational directions references are made to the following documents:

### **Command Descriptions:**

Technical Reference Guide, MML commands

Generic Extension, *extension\_key*, *extension\_text*

Technical Reference Guide, unix commands

Digital Key System Telephone, KS

Application system parameters, AS

## 5 PROCEDURE

-

## 6

## EXECUTION

**Note:** The Name and Number Log function cannot be initiated for Service Quarter Hospitality class extensions.

### 6.1

### FOR A SIP EXTENSION

#### 6.1.1

#### INITIATION OF THE NAME AND NUMBER LOG FUNCTION FOR A MITEL 6800/6900 SIP TERMINAL OR A SIP CLIENT (MICOLLAB)

##### General

A Mitel 6800/6900 SIP telephone or SIP client (MiCollab) can have the centralized Name and Number Log function programmed to it.

##### Prerequisites

-

##### Execution

Key the command *extension\_profile -p* to verify existing CNNLOG function assignment for a SIP extension.

Key the command *extension\_profile -c* (or *-i* if new) to assign the Name and Number Log function to the generic extension profile that shall be used.

Key the command *extension\_profile -p* for verification.

#### 6.1.2

#### REMOVAL OF THE NAME AND NUMBER LOG FUNCTION

##### General

The name and number log function can be removed from a Mitel 6800/6900 SIP telephone or SIP client (MiCollab) by command.

##### Prerequisites

-

##### Execution

Key the command *extension\_profile -p* to verify that the Name and Number Log function is assigned for the extension.

Key the command *extension\_profile -c* (or *-e* if the entire profile shall be removed) to cancel the Name and Number Log function from the used profile.

Key the command *extension\_profile -p* for verification.

#### 6.1.3

#### PRINTOUT OF THE NAME AND NUMBER LOG FUNCTION

Key the command *extension\_profile -p*

## 6.2 FOR A DTS EXTENSION

### 6.2.1 INITIATION OF THE NAME AND NUMBER LOG FUNCTION FOR A DTS EXTENSION

#### **General**

Any DTS extension with soft-keys (DBC 631, DBC 661/662, DBC 203/213, DBC 223 and DBC 225) can have the name and number log function programmed to it.

#### **Prerequisites**

-

#### **Execution**

Key the command *KSFKP* to verify existing function key assignments for an extension.  
Key the command *KSFKC* to assign the Name and Number Log function to a programmable key with a LED. Key without a LED could be used for this function, but it is not recommended.

Key the command *KSFKP* for verification.

### 6.2.2 REMOVAL OF THE NAME AND NUMBER LOG FUNCTION

#### **General**

The name and number log function can be removed from a DTS by command.

#### **Prerequisites**

-

#### **Execution**

Key the command *KSFKP* to verify that the Name and Number Log function is assigned to a programmable key for the extension.

Key the command *KSFKC* to assign the Telephone Name Selection function for the removal of the Name and Number Log function from the programmable key.

Key the command *KSFKP* for verification.

### 6.2.3 PRINTOUT OF THE NAME AND NUMBER LOG FUNCTION

Key the command *KSFKP*.

### 6.2.4 CHANGING THE TEXT STRINGS

#### **General**

The text string messages for the Name and Number Log function of the DTS can be changed by command.

#### **Prerequisites**

-

#### **Execution**

Key the command *extension\_text -c* to change a text string for a specific message.

Key the command *extension\_text* -p for verification.

## 6.2.5

### PRINTING THE TEXT STRINGS

Key the command *extension\_text* -p.

## 6.2.6

### DEFINING THE TIME BEFORE UNANSWERED CALLS ARE REGISTERED

#### **General**

The time needed to register an unanswered call for a DTS is a Market Dependent Parameter that is changeable by command.

#### **Prerequisites**

-

#### **Execution**

Key the command *ASPAC* to change the time needed to register unanswered calls.

Key the command *ASPAP* for verification.

## 7

## TERMINATION

If exchange data have been altered and no more commands are to be issued, perform a dump on the backup media.