

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION_{neo}** / **eco** / **XXL**

The below table describes which PBX systems and phone models are supported by the MVT card.

Attention: All listed features are standard features. Professional Service has to be ordered for additional functionality or other end sets or PBX types than listed.

Definitions:

B1 ch.:	Audio channel number one.
B2 ch.:	Audio channel number two.
VOX:	Start/Stop detection via signal level.
D-ch.:	Start/Stop trigger via evaluation of the proprietary D-channel protocol.
On/Off Hook:	Start/Stop detection via on-/off-hook.
Key:	Recording control (start/stop, keep/delete) via function keys at the phone set.
LED:	Recording control (start/stop, keep/delete) via switching LED on/off at the telephone set.
Other Party No.	This function detects and records the partner's telephone number. All display messages (i.e. Smith 44 70 55 15) will be recorded. The phone number detection depends on the language configuration of the end set. Please check the supported languages. Only standard display messages are supported. Additional functionality like display phone books etc. requires Professional Services.
Call direction:	This function informs if the call was incoming (inbound) or outgoing (outbound).
#Wires:	Number of required recording wires/channels: 2 wires = 1 recording interface channel = 1 channel licence 4 wires = 2 recording interface channels = 2 channel licences For ISDN-S0 (BRI) recording: 4 wires = 2 recording interface channels = 2 channel licences.
Passive Splitter:	Indicates if the Passive Splitter (Item No.: 77513010) is required (for Mitel and Avaya).
Sup. Languages:	Supported languages for phone number evaluation.

Symbols:

- ✓ function is tested and released by ASC. Normally no additional adjustment is required. However, please note that due to specific country versions or customized PBX configurations, it might nevertheless be a problem to tag a clear and correct D-channel signal or support the verified call scenarios (1-14). When facing such problem during installation please activate the log function (preferably during live operation) as described in the EVOLUTION_{neo} Service Manual. ASC HQ will analyse and fine tune the state machine on short notice and assist in sorting out the problem. This is free of charge. In such cases, please contact ASC Hotline.
- ✗ function is not tested by ASC. It might be required, that adjustments of the existing state machine have to be done. The adjustment of the state machine can be done remotely and is free of charge. Please contact ASC Hotline before the installation will take place to arrange an appointment for the adjustments.
- ∅ function is not available

Note: For all listed PBX types and phones VOX triggered start/stop is available. This means, that only the B-channel is analyzed for recording control. No D-channel information like start/stop, additional call information etc. is available. This allows to be independent from the PBX software version, the configuration and the configured language of the end sets.

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / **eco** / **XXL**

Supported call scenarios: The following call scenarios are tested and supported. If other call scenarios than those listed below are used, ASC HQ must confirm that the new call scenarios can be implemented. Please clarify in advance, if others than the listed call scenarios are used by the customer. In case a modification is required to support a non-supported call scenario, Professional Service costs will arise. Please contact your SPOC for an offer. If an order is placed, the required modification can be done remotely by the ASC Hotline with one of your Service Technicians onsite. This might require several visits to the site by your Service Technician for testing which should be considered in your offer accordingly.

No.	Call Scenario (Examples: A is recorded. Please also refer to the below drawing)
1	Internal outgoing call: A is calling B; B takes the call; the call is made via the internal PBX network
2	Internal incoming call: B is calling A; A takes the call; the call is made via the internal PBX network
3	External outgoing call: A is calling C; C takes the call; the call is made via the public network
4	External incoming call: C is calling A; A takes the call; the call is made via the public network
5	Held outgoing call: A is calling B or C; B or C takes the call; A is putting B or C on hold
6	Held incoming call: B or C is calling A; A takes the call; A is putting B or C on hold
7	Outgoing external conference call: A is calling C; A initiates a conference with B; A, B and C are in a conference call
8	Incoming external conference call: C is calling A; A initiates a conference with B; A, B and C are in a conference call
9	Outgoing internal conference call: A is calling D; A initiates a conference with B; A, B and D are in a conference call
10	Incoming internal conference call: D is calling A; A initiates a conference with B; A, B and D are in a conference call
11	Outgoing transferred call: A is calling C; A puts C on hold and calls B; A transfers call to B
12	Incoming transferred call: C is calling A; A puts C on hold and calls B; A transfers call to B
13	Incoming group call: C is calling B; A and B are in a group; phone A is also signalling the call; B takes the call
14	Take group call: C is calling B; A and B are in a group; phone A is also signalling the call; A takes the call
a	Calls are made with handset
b	Calls are made with speaker
c	Calls are made with headset

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for EVOLUTION^{neo} / eco / XXL

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
Aastra Ascotel Intellgate 300, 2065	Aastra Office 25	x	Ø	x	x	x	x	x	x	x	2				
	Aastra Office 35	x	Ø	x	x	x	x	x	x	x					
	Aastra Office 45	x	Ø	x	x	x	x	x	x	x					
	Aastra Office 60 (Office 5360)	x	Ø	x	x	x	x	x	x	x					
	Aastra Office 70 (Office 5370)	x	Ø	x	x	x	x	x	x	x					
	Aastra Office 80 (Office 5380)	x	Ø	x	x	x	x	x	x	x					
Aastra NexSpan XS	i760E	✓	Ø	✓	✓	✓	✓	x	✓	✓	2				
Alcatel OmniPCX 4400 4200	4003	x	Ø	x	x	x	x	x	Ø	Ø	2		Language independent	1-12	
	4011	✓	Ø	✓	x	x	x	x	x	x					
	4012	✓	Ø	✓	x	x	x	x	x	x					
	4019	✓	Ø	✓	✓	✓	✓	✓	✓	✓					
	4023	✓	Ø	✓	x	x	x	x	x	x					
	4029	✓	Ø	✓	✓	✓	✓	✓	✓	✓					
	4034	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	4039	✓	Ø	✓	✓	✓	✓	✓	✓	✓					
	4004 Reflex first	✓	Ø	✓	x	x	x	x	Ø	Ø					
	4010 Reflex easy	✓	Ø	✓	✓	✓	x	x	✓	✓					
	4020 Reflex premium	✓	Ø	✓	✓	✓	x	x	✓	✓					
	4035 Reflex advanced	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	4049	x	Ø	x	x	x	x	x	x	x					
Alcatel Omni PCX Enterprise	4004 Reflex first	x	Ø	x	x	x	x	x	x	x	2		Language independent		
	4010 Reflex easy	x	Ø	x	x	x	x	x	x	x					
	4020 Reflex premium	x	Ø	x	x	x	x	x	x	x					
	4035 Reflex advanced	x	Ø	x	x	x	x	x	x	x					
	4019 Series 9	x	Ø	x	x	x	x	x	x	x					
	4029 Series 9	x	Ø	x	x	x	x	x	x	x					
	4039 Series 9	x	Ø	x	x	x	x	x	x	x					
	4059 Att. Console	x	Ø	x	x	x	x	x	x	x					
	4049	x	Ø	x	x	x	x	x	x	x					
	8029 DeskPhone	x	Ø	x	x	x	x	x	x	x					
8039 DeskPhone	x	Ø	x	x	x	x	x	x	x						
Alcatel Omni PCX	4034	x	Ø	x	x	x	x	x	x	x	2		Language independent		
	4035	x	Ø	x	x	x	x	x	x	x					

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION***neo* / *eco* / *XXL*

PBX type	Phone set	MVTC type `D`												
		Audio		Bulk Recording via		Start/Stop via			Additional call information		#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction				
Office	4019	x	Ø	x	x	x	x	x	x	x				
	4029	x	Ø	x	x	x	x	x	x	x				
Aspect ACD System	Teleset 3010	✓	Ø	✓	✓	✓	✓	x	✓	✓	2		Language independent	1-12 with a, b
	Teleset 3190	✓	Ø	✓	✓	✓	✓	x	✓	✓				
	Teleset 3192	✓	Ø	✓	✓	✓	✓	x	✓	✓				
Avaya Definity 2-wire	2400 Series	x	Ø	x	x	x	x	x	x	x	2		English (US), Italian	1-12 with a, b
	6400 Series	x	Ø	x	x	x	x	x	x	x				
	8400 Series	x	Ø	x	x	x	x	x	x	x				
	Call Master III (603E)	✓	Ø	✓	✓	✓	x	x	✓	✓				
	Call Master IV (603H)	✓	Ø	✓	x	x	x	x	x	x				
	Call Master V (607A)	✓	Ø	✓	✓	✓	x	x	✓	✓				
	Call Master VI (606A)	✓	Ø	✓	x	x	x	x	x	x				
	XM24 Module	x	Ø	x	x	x	x	x	x	x				
	302B/C/D Console	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø				
Avaya Definity 4-wire	7400 Series	x	Ø	x	x	x	x	x	x	x	4		English (US)	1-12 with a, b
	8400 Series	x	Ø	x	x	x	x	x	x	x				
	CallMaster I	x	Ø	x	x	x	x	x	x	x				
	Call Master II	x	Ø	x	x	x	x	x	x	x				
	Call Master III	x	Ø	x	x	x	x	x	x	x				
	Call Master IV	x	Ø	x	x	x	x	x	x	x				
	Call Master V	x	Ø	x	x	x	x	x	x	x				
	302A/B/C Console	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø				
	301B Console	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø				
Avaya INDeX	DT3	x	Ø	x	x	x	x	x	x	x	4	X		
	2010	x	Ø	x	x	x	x	x	x	x				
	2030	x	Ø	x	x	x	x	x	x	x				
	2050	x	Ø	x	x	x	x	x	x	x				
Avaya Merlin Magix	4400	x	Ø	x	x	x	x	x	x	x	2			
	4400D	x	Ø	x	x	x	x	x	x	x				
	4406D+	x	Ø	x	x	x	x	x	x	x				
	4412D+	x	Ø	x	x	x	x	x	x	x				
	4424D+	x	Ø	x	x	x	x	x	x	x				
	4424LD+	x	Ø	x	x	x	x	x	x	x				

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION***neo* / *eco* / *XXL*

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
Avaya S8300	2400 Series	x	Ø	x	x	x	x	x	x	x	2				
	6400 Series	x	Ø	x	x	x	x	x	x	x					
	8400 Series	x	Ø	x	x	x	x	x	x	x					
	Call Master III (603E)	x	Ø	x	x	x	x	x	x	x					
	Call Master IV (603H)	x	Ø	x	x	x	x	x	x	x					
	Call Master V (607A)	x	Ø	x	x	x	x	x	x	x					
	Call Master VI (606A)	x	Ø	x	x	x	x	x	x	x					
	302B/C/D Console	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
Avaya S8500	2400 Series	x	Ø	x	x	x	x	x	x	x	2				
	6400 Series	x	Ø	x	x	x	x	x	x	x					
	8400 Series	x	Ø	x	x	x	x	x	x	x					
	Call Master III (603E)	x	Ø	x	x	x	x	x	x	x					
	Call Master IV (603H)	x	Ø	x	x	x	x	x	x	x					
	Call Master V (607A)	x	Ø	x	x	x	x	x	x	x					
	Call Master VI (606A)	x	Ø	x	x	x	x	x	x	x					
	302B/C/D Console	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
	1408	x	Ø	x	x	x	x	x	x	x					
	1416	x	Ø	x	x	x	x	x	x	x					
	Avaya S8700	2400 Series	x	Ø	x	x	x	x	x	x					x
6400 Series		x	Ø	x	x	x	x	x	x	x					
8400 Series		x	Ø	x	x	x	x	x	x	x					
Call Master III (603E)		x	Ø	x	x	x	x	x	x	x					
Call Master IV (603H)		x	Ø	x	x	x	x	x	x	x					
Call Master V (607A)		x	Ø	x	x	x	x	x	x	x					
Call Master VI (606A)		x	Ø	x	x	x	x	x	x	x					
302B/C/D Console		x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
Avaya Merlin Magix MLX (BRI)		MLX10	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø	4			
	MLX10 Display	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
	MLX20L	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
	MLX28 Display	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
	MLX5	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
	MLX5 Display	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
Avaya IP Office	2400 Series	x	Ø	x	x	x	x	x	x	x	2				
	5400 Series	x	Ø	x	x	x	x	x	x	x					

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION_{neo}** / **eco** / **XXL**

PBX type	Phone set	MVTC type `D`												
		Audio		Bulk Recording via		Start/Stop via			Additional call information		#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction				
	6400 Series	x	Ø	x	x	x	x	x	x	x				
	9504 (SW V7.0 or higher)	x	Ø	x	x	x	x	x	x	x				
	9508 (SW V7.0 or higher)	x	Ø	x	x	x	x	x	x	x				
	14xx Series	x	Ø	x	x	x	x	x	x	x				
Avaya Meridian 1 SL100 Succession CS1000	2006	x	Ø	x	x	x	x	x	x	x	2		Language independent	1-12 with a, b
	2008	✓	Ø	✓	✓	✓	x	x	✓	✓				
	2216	x	Ø	x	x	x	x	x	x	x				
	2317	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø				
	2616	✓	Ø	✓	✓	✓	x	x	✓	✓				
	3310	x	Ø	x	x	x	x	x	x	x				
	3820	✓	Ø	✓	✓	✓	x	x	✓	✓				
	3901	x	Ø	x	x	x	x	x	x	x				
	3902	x	Ø	x	x	x	x	x	x	x				
	3903	x	Ø	x	x	x	x	x	x	x				
	3904	✓	Ø	✓	✓	✓	x	x	✓	✓				
	3905	✓	Ø	✓	✓	✓	x	x	✓	✓				
	2250 console	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø				
	Polycomm 550D	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø				
Avaya Norstar 50, 200, 400, 450, BMC	7100	✓	Ø	✓	✓	✓	✓	x	✓	✓	2		English (US), Spanish, French	1-12 with a, b
	7208	✓	Ø	✓	✓	✓	✓	x	✓	✓				
	7316	✓	Ø	✓	✓	✓	✓	x	✓	✓				
	7310	✓	Ø	✓	✓	✓	✓	x	✓	✓				
	7324	✓	Ø	✓	✓	✓	✓	x	✓	✓				
	T7406 (wireless)	x	Ø	x	x	x	x	x	x	x				
DeTeWe OpenCom 1000	OpenPhone 61	✓	Ø	✓	Ø	Ø	Ø	Ø	Ø	Ø	2			
	OpenPhone 63	✓	Ø	✓	Ø	Ø	Ø	Ø	Ø	Ø				
	OpenPhone 65	✓	Ø	✓	Ø	Ø	Ø	Ø	Ø	Ø				
Deutsche Telekom Octopus E300, 600	Octophone 22	x	Ø	x	x	x	x	x	x	x	2		German	1-12 with a, b
	Octophone 26	x	Ø	x	x	x	x	x	x	x				
	Octophone 28	x	Ø	x	x	x	x	x	x	x				
	Octophone F10	x	Ø	x	x	x	x	x	x	x				
	Octophone F20	x	Ø	x	x	x	x	x	x	x				
	Octophone F30	x	Ø	x	x	x	x	x	x	x				

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION***neo* / *eco* / *XXL*

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
	Octophone F40	x	Ø	x	x	x	x	x	x	x					
EADS Intecom E	ITE 12SD	✓	Ø	✓	x	x	x	x	x	x	2			1-12	
	ITE 30SD	✓	Ø	✓	x	x	x	x	x	x					
	ITE 760	✓	Ø	✓	Ø	Ø	Ø	Ø	Ø	Ø					
	TE30SD	x	Ø	x	x	x	x	x	x	x					
	TE24B	x	Ø	x	x	x	x	x	x	x					
EADS (Nortel) Matra 6500	MC401	✓	Ø	✓	x	x	x	x	x	x	2		Language independent	1-12 with a, b	
	MC510	✓	Ø	✓	x	x	x	x	x	x					
	MC520	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	MC405E	x	Ø	x	x	x	x	x	x	x					
	MC420E	x	Ø	x	x	x	x	x	x	x					
	MC430E	x	Ø	x	x	x	x	x	x	x					
	MC520N	x	Ø	x	x	x	x	x	x	x					
	MC640	✓	Ø	✓	x	x	x	Ø	x	x					
	M760	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	M760PO	x	Ø	x	x	x	x	x	x	x					
	M740	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	M730	✓	Ø	✓	x	x	x	x	x	x					
	M720	✓	Ø	✓	x	x	x	x	x	x					
eOn eQueue	501200-750	x	Ø	x	x	x	x	x	x	x	4			1-12	
	501200-001	x	Ø	x	x	x	x	x	x	x					
	501800-001	x	Ø	x	x	x	x	x	x	x					
	500600-001	x	Ø	x	x	x	x	x	x	x					
	500600-750	x	Ø	x	x	x	x	x	x	x					
	503000-001	x	Ø	x	x	x	x	x	x	x					
	503800-001	x	Ø	x	x	x	x	x	x	x					
Ericsson Business Phone 50/250 (MD150)	DBA706	x	Ø	x	x	x	x	x	x	x	2			1-12	
	Dialog3201 (DBC201)	x	Ø	x	x	x	x	x	x	x					
	Dialog3202 (DBC202)	x	Ø	x	x	x	x	x	x	x					
	Dialog3203 (DBC203)	x	Ø	x	x	x	x	x	x	x					
	Dialog3211 (DBC211)	x	Ø	x	x	x	x	x	x	x					
	Dialog3212 (DBC212)	x	Ø	x	x	x	x	x	x	x					
	Dialog3213 (DBC213)	x	Ø	x	x	x	x	x	x	x					
	Dialog2501 (DBC501)	x	Ø	x	x	x	x	x	x	x					

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / eco / XXL

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
	Dialog2563 (DBC562)	x	Ø	x	x	x	x	x	x	x					
	Dialog2601 (DBC601)	x	Ø	x	x	x	x	x	x	x					
	Dialog2631 (DBC631)	x	Ø	x	x	x	x	x	x	x					
	Dialog2661 (DBC661)	x	Ø	x	x	x	x	x	x	x					
	Dialog2662 (DBC662)	x	Ø	x	x	x	x	x	x	x					
	Dialog4220 (DBC220)	x	Ø	x	x	x	x	x	x	x					
	Dialog4222 (DBC222)	x	Ø	x	x	x	x	x	x	x					
	Dialog4223 (DBC223)	x	Ø	x	x	x	x	x	x	x					
	Dialog4224 (DBC224)	x	Ø	x	x	x	x	x	x	x					
	Dialog4225 (DBC225)	x	Ø	x	x	x	x	x	x	x					
Ericsson MD 32	DBC212	✓	Ø	✓	✓	✓	✓	x	Ø	Ø	2		Language independent	1-12 with a, b	
	DBC213	✓	Ø	✓	✓	✓	✓	x	Ø	Ø					
Ericsson MD110	DBA706	✓	Ø	✓	✓	✓	x	x	✓	✓	2		Language independent	1-12 with a, b	
	Dialog3201 (DBC201)	✓	Ø	✓	✓	✓	x	x	Ø	Ø					
	Dialog3202 (DBC202)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog3203 (DBC203)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog3211 (DBC211)	x	Ø	x	x	x	x	x	x	x					
	Dialog3212 (DBC212)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog3213 (DBC213)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog2501 (DBC501)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog2563 (DBC562)	x	Ø	x	x	x	x	x	x	x					
	Dialog2601 (DBC601)	✓	Ø	✓	✓	✓	x	x	Ø	Ø					
	Dialog2631 (DBC631)	x	Ø	x	x	x	x	x	x	x					
	Dialog2661 (DBC661)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog2662 (DBC662)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog4220 (DBC220)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog4222 (DBC222)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog4223 (DBC223)	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Dialog4224 (DBC224)	x	Ø	x	x	x	x	x	x	x					
	Dialog4225 (DBC225)	✓	Ø	✓	✓	✓	x	x	✓	✓					
ESI 100	24 KEY DFP	x	Ø	x	x	x	x	x	x	x	2				
	48 KEY H DFP	x	Ø	x	x	x	x	x	x	x					
Fujitsu F9600	F10B-0816-B001 (DT-12D)	x	Ø	x	x	Ø	Ø	Ø	Ø	Ø	2				
	F10B-0791-B001 (DT-12S)	x	Ø	x	x	Ø	Ø	Ø	Ø	Ø					

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / eco / XXL

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
	F10B-0794-B001 (DT-12)	x	Ø	x	x	Ø	Ø	Ø	Ø	Ø					
	F10B-0789-B001 (DT-24DS)	x	Ø	x	x	Ø	Ø	Ø	Ø	Ø					
	F10B-0790-B001	x	Ø	x	x	Ø	Ø	Ø	Ø	Ø					
INTER-TEL Axxess	520.4300 Basic	x	Ø	x	x	x	x	x	x	x	2				
	550.4000 Standard	x	Ø	x	x	x	x	x	x	x					
	550.4100 Executive	x	Ø	x	x	x	x	x	x	x					
	550.4400 Standard	x	Ø	x	x	x	x	x	x	x					
	550.4500 Executive	x	Ø	x	x	x	x	x	x	x					
	560.4101 Basic	x	Ø	x	x	x	x	x	x	x					
	560.4201 Associate	x	Ø	x	x	x	x	x	x	x					
	560.4301 Professional	x	Ø	x	x	x	x	x	x	x					
	551.4400	x	Ø	x	x	x	x	x	x	x					
	551.4100	x	Ø	x	x	x	x	x	x	x					
INTER-TEL CS5200	8520	x	Ø	x	x	x	x	x	x	x	2			1-12	
	8560	x	Ø	x	x	x	x	x	x	x					
LG LDK-50 / 100	LDK-30DH	x	Ø	x	x	x	x	x	x	x	2				
	LDK-8DS	x	Ø	x	x	x	x	x	x	x					
	LDK-2NS	x	Ø	x	x	x	x	x	x	x					
LG Starex	LGP-30D	x	Ø	x	x	x	x	x	x	x	2			1-12	
MITEL SX 2000 3300	Superset 410	x	Ø	x	x	x	x	x	x	x	4	X	Language independent	1-12 with a, b	
	Superset 420	x	Ø	x	x	x	x	x	x	x					
	Superset 430	x	Ø	x	x	x	x	x	x	x					
	Superset 401+	x	Ø	x	x	x	x	x	x	x					
	Superset 4001	x	Ø	x	x	x	x	x	x	x					
	Superset 4015	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Superset 4025	x	Ø	x	x	x	x	x	x	x					
	Superset 4125	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Superset 4150	✓	Ø	✓	✓	✓	x	x	✓	✓					
	Superset Console 1000	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
NEC NEAX 2400 IPX	DTU-16D Elite	x	Ø	x	x	x	x	x	x	x	2				
	DTU-32D Elite	x	Ø	x	x	x	x	x	x	x					
	ETJ-16DC Series III	x	Ø	x	x	x	x	x	x	x					

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / eco / XXL

PBX type	Phone set	MVTC type `D`												
		Audio		Bulk Recording via		Start/Stop via			Additional call information		#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction				
	DTP-2DT-1A	x	Ø	x	x	x	x	x	x	x				
	DTP-16D Series E (75)	x	Ø	x	x	x	x	x	x	x				
	DTP-32D Series E (75)	x	Ø	x	x	x	x	x	x	x				
	DTP-8D Series E (75)	x	Ø	x	x	x	x	x	x	x				
	DTR 2D-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
	DTR 8D-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
	DTR 16D-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
	DTR 32D-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
NEC Aspila EX	IP1WW-24TSXH	x	Ø	x	x	x	x	x	x	x	2			1-12
	IP1WW-24TXH	x	Ø	x	x	x	x	x	x	x				
	IP1WW-12TXH	x	Ø	x	x	x	x	x	x	x				
NEC Aspire	DTP-32D	x	Ø	x	x	x	x	x	x	x	2			1-12
	DTR-32D	x	Ø	x	x	x	x	x	x	x				
	DTR-16D	x	Ø	x	x	x	x	x	x	x				
NEC Apex 3600	ETJ-16S	x	Ø	x	x	x	x	x	x	x	2			1-12
NEC Apex 7400	DTR-16D	x	Ø	x	x	x	x	x	x	x	2			1-12
NEC NEAX 2000 NEAX 2400 IMS NEAX IPS NEAX 7400	DTR 8D-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x	2		English (US)	1-12 with a, b
	DTR 8-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
	DTR 32D-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
	DTR 2DT-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
	DTR 16D-1 Dterm Series I	x	Ø	x	x	x	x	x	x	x				
	DTP-32DA-1 (DtermSeriesE)	✓	Ø	✓	✓	✓	x	x	✓	✓				
	DTP-32D-1 (DtermSeriesE)	✓	Ø	✓	✓	✓	x	x	✓	✓				
	DTP-16D-1 (DtermSeriesE)	x	Ø	x	x	x	x	x	x	x				
	DTP 8D (DtermSeriesE)	✓	Ø	✓	✓	✓	x	x	✓	✓				
	DTP-2DT-1A	x	Ø	x	x	x	x	x	x	x				
	Dterm Series 3 (16 button)	x	Ø	x	x	x	x	x	x	x				
	DCU 60 (add on)	x	Ø	x	x	x	x	x	x	x				
	DTL-24-1 (DT 300)	x	Ø	x	x	x	x	x	x	x				
	Dterm8D DtermSeries75	x	Ø	x	x	x	x	x	x	x				
	Dterm8 DtermSeries75	x	Ø	x	x	x	x	x	x	x				

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / eco / XXL

PBX type	Phone set	MVTC type `D`												
		Audio		Bulk Recording via		Start/Stop via			Additional call information		#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction				
	Dterm32D DtermSeries75	x	Ø	x	x	x	x	x	x	x				
	Dterm16D DtermSeries75	x	Ø	x	x	x	x	x	x	x				
	Dterm Series 3 (32 button)	x	Ø	x	x	x	x	x	x	x				
NEC NEAX 1000	DTP 8D	x	Ø	x	x	x	x	x	x	x	2			
	DCU 60 (add on)	x	Ø	x	x	x	x	x	x	x				
NEC Electra Elite 192 Professional	DTU-16D Elite	x	Ø	x	x	x	x	x	x	x	2		English (US)	1-12 with a, b
	DTU-32D Elite	x	Ø	x	x	x	x	x	x	x				
	DTP-16D Series E (75)	x	Ø	x	x	x	x	x	x	x				
	DTP-32D Series E (75)	x	Ø	x	x	x	x	x	x	x				
	DTP-8D Series E (75)	x	Ø	x	x	x	x	x	x	x				
	DCU 60 (add on)	x	Ø	x	x	x	x	x	x	x				
	DTH-16D-1G Dterm 80	x	Ø	x	x	x	x	x	x	x				
	DTH-8D-1G Dterm 80	x	Ø	x	x	x	x	x	x	x				
NEC SV8100 SV8300	Dterm 85 Series	x	Ø	x	x	x	x	x	x	x	2		English (US)	1-12
	Dterm 75 Series	x	Ø	x	x	x	x	x	x	x				
	DTP-xx-D	x	Ø	x	x	x	x	x	x	x				
	DT300 (DLV(XD)Z-Y(BK)	x	Ø	x	x	x	x	x	x	x				
NEC Univerge 8100 Univerge 8300	DTL-6DE-1P(BK)TEL	x	Ø	x	x	x	x	x	x	x	2		English (US)	1-12
	DTL-12D-1P(BK)TEL	x	Ø	x	x	x	x	x	x	x				
	DTL-24D-1P(BK)TEL	x	Ø	x	x	x	x	x	x	x				
	DTL-32D-1P(BK)TEL	x	Ø	x	x	x	x	x	x	x				
	DT300	x	Ø	x	x	x	x	x	x	x				
Panasonic TDA or TDE 50 / 100 / 200 / 600 KX-DT333	KX-T7431	x	Ø	x	x	x	x	x	x	x	2			
	KX-T7433	x	Ø	x	x	x	x	x	x	x				
	KX-T7453	x	Ø	x	x	x	x	x	x	x				
	KX-T7625	x	Ø	x	x	x	x	x	x	x				
	KX-T7630	x	Ø	x	x	x	x	x	x	x				
	KX-T7668	x	Ø	x	x	x	x	x	x	x				
	KX-T7665	x	Ø	x	x	x	x	x	x	x				
	KX-T7220	x	Ø	x	x	x	x	x	x	x				
	KX-DT343	x	Ø	x	x	x	x	x	x	x				
	KX-DT321	x	Ø	x	x	x	x	x	x	x				
	KX-DT346	x	Ø	x	x	x	x	x	x	x				

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION_{neo}** / **eco** / **XXL**

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
	KX-DT333	x	Ø	x	x	x	x	x	x	x					
Philips SOPHO iS3010, iS3030, iS3050, iS3070,	D310/2	x	Ø	x	x	x	x	x	x	x	2/4				
	D320/2	x	Ø	x	x	x	x	x	x	x					x
	D325/2	x	Ø	x	x	x	x	x	x	x					x
	D330/2	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
	D340/2	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
	D622/2	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
	D623/2	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
	D624/2	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
	D310/4	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
	D320/4	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
	D325/4	x	Ø	x	x	x	x	x	x	x					x
	D330/4	x	Ø	x	x	x	x	x	x	x					x
	D340/4	x	Ø	x	x	x	x	x	x	x					x
	D622/S	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					Ø
D623/S	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø	Ø					
D624/S	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø	Ø					
Rockwell Spectrum	Spectrum 151	x	Ø	x	x	x	x	x	x	x	4				
		x	Ø	x	x	x	x	x	x	x					x
Samsung DCS-828	DS-24SE-KTS	x	Ø	x	x	x	x	x	x	x	2				
	DCS-S1EW	x	Ø	x	x	x	x	x	x	x					x
	DCS-S2EW	x	Ø	x	x	x	x	x	x	x					x
Samsung iDCS500p	DS-5021D	x	Ø	x	x	x	x	x	x	x	2				
	DS-5038D	x	Ø	x	x	x	x	x	x	x					x

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION***neo* / *eco* / *XXL*

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios	
		Audio		Bulk Recording via		Start/Stop via			Additional call information							
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction						
Samsung Inforex	DS-24SE-KTS	x	Ø	x	x	x	x	x	x	x	2					
Samsung OfficeServ 7200, 7400	iDCS 18D	x	Ø	x	x	x	x	x	x	x	2					
	iDCS 28D	x	Ø	x	x	x	x	x	x	x						
	DS-5007	x	Ø	x	x	x	x	x	x	x						
	DS-5014	x	Ø	x	x	x	x	x	x	x						
	DS-5021D	x	Ø	x	x	x	x	x	x	x						
	DS-5038D	x	Ø	x	x	x	x	x	x	x						
Unify (Siemens) Hicom 100 E, Hicom 150 E,	Optiset E advanced	✓	Ø	✓	✓	✓	✓	x	✓	✓	2		German, English, French, Italian, Spanish	1-12 with a, b		
	Optiset E advance conf	x	Ø	x	x	x	x	x	x	x						
	Optiset E basic	x	Ø	x	x	x	x	x	x	x						
	Optiset E entry	✓	Ø	✓	✓	✓	✓	Ø	✓	✓						
	Optiset E standard	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 entry	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 economy	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 basic	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 standard	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 advanced	✓	Ø	✓	✓	✓	✓	x	✓	✓						
Unify (Siemens) Hicom 300 E	Rolm Phone 240E (4-wire)	x	Ø	x	x	x	x	x	x	x	4	X	German, English, French, Italian, Spanish	1-12 with a, b		
	Rolm Phone 312L (4-wire)	x	Ø	x	x	x	x	x	x	x						
	Rolm Phone 400 (4-wire)	x	Ø	x	x	x	x	x	x	x						
	Rolm Phone 240 (4-wire)	x	Ø	x	x	x	x	x	x	x						
	Rolm Phone 624SL (4-wire)	x	Ø	x	x	x	x	x	x	x						
	Optiset E basic	✓	Ø	✓	✓	✓	✓	Ø	✓	✓	2					
	Optiset E standard	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	Optiset E advance conf	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	Optiset E entry	✓	Ø	✓	✓	✓	✓	Ø	✓	✓						
	Optiset E advanced	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 advanced	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 basic	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 entry	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 standard	✓	Ø	✓	✓	✓	✓	x	✓	✓						
	OptiPoint 500 standard SL	x	Ø	x	x	x	x	x	x	x						
	OptiPoint 500 economy	✓	Ø	✓	✓	✓	✓	x	✓	✓						

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / eco / XXL

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
Unify (Siemens) Hicom 330 E	Optiset E Basic	x	Ø	x	x	x	x	x	x	x	2				
	Optiset E Standard	x	Ø	x	x	x	x	x	x	x					
	Optiset E Advanced Conf	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 advance	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 basic	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 entry	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 standard	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 standard SL	x	Ø	x	x	x	x	x	x	x					
Unify (Siemens) OpenScape 4000	OptiPoint 500 advanced	✓	Ø	✓	✓	✓	✓	x	✓	✓	2		German, English, French, Italian, Spanish	1-12 with a, b	
	OptiPoint 500 basic	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	OptiPoint 500 economy	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	OptiPoint 500 entry	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	OptiPoint 500 standard SL	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 standard	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	Optiset E advance Conf	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	Optiset E basic	x	Ø	x	x	x	x	x	x	x					
	Optiset E standard	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	ProfiSet 71	x	Ø	x	x	x	x	x	x	x					
	OpenStage 10	x	Ø	x	x	x	x	x	x	x					
	OpenStage 15	x	Ø	x	x	x	x	x	x	x					
	OpenStage 20	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	OpenStage 40	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	OpenStage 60	x	Ø	x	x	x	x	x	x	x					
	OpenStage 80	x	Ø	x	x	x	x	x	x	x					
	AC-Win MQ Ver.3.0.20	x	Ø	x	x	x	x	x	x	x					
	Optiset E entry	✓	Ø	✓	✓	✓	✓	Ø	✓	✓					
	Optiset E advanced	✓	Ø	✓	✓	✓	✓	x	✓	✓					
	OptiPoint 600 office	✓	Ø	✓	✓	✓	✓	x	✓	✓					
Unify (Siemens) HiPath 3000 HiPath 3750	OptiPoint 500 advance	x	Ø	x	x	x	x	x	x	x	2				
	OptiPoint 500 basic	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 entry	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 standard	x	Ø	x	x	x	x	x	x	x					
	OptiPoint 500 standard SL	x	Ø	x	x	x	x	x	x	x					
	Optiset E advance	x	Ø	x	x	x	x	x	x	x					

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / eco / XXL

PBX type	Phone set	MVTC type `D`										#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		Audio		Bulk Recording via		Start/Stop via			Additional call information						
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction					
	Optiset E advance conf	x	Ø	x	x	x	x	x	x	x					
	Optiset E plus	x	Ø	x	x	x	x	x	x	x					
	Optiset E basic	x	Ø	x	x	x	x	x	x	x					
	Optiset E entry	x	Ø	x	x	x	x	x	x	x					
	Optiset E memory	x	Ø	x	x	x	x	x	x	x					
	Optiset E standard	x	Ø	x	x	x	x	x	x	x					
	OpenStage 10	x	Ø	x	x	x	x	x	x	x					
	OpenStage 15	x	Ø	x	x	x	x	x	x	x					
	OpenStage 20	x	Ø	x	x	x	x	x	x	x					
	OpenStage 30	x	Ø	x	x	x	x	x	x	x					
	OpenStage 40	x	Ø	x	x	x	x	x	x	x					
	OpenStage 60	x	Ø	x	x	x	x	x	x	x					
	OpenStage 80	x	Ø	x	x	x	x	x	x	x					
	Unify (Siemens) Rolm 9751CBX	Rolm Phone 240E	x	Ø	x	x	x	x	x	x					x
Rolm Phone 312L		x	Ø	x	x	x	x	x	x	x					
Rolm Phone 400		x	Ø	x	x	x	x	x	x	x					
Rolm Phone 240		x	Ø	x	x	x	x	x	x	x					
Rolm Phone 624SL		x	Ø	x	x	x	x	x	x	x					
Rolm Phone 120		x	Ø	x	x	x	x	x	x	x					
Unify (Siemens) Realitis DX	D60 (4-wire)	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø	2/4				
	D70 (4-wire)	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
	DT50 (4-wire)	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
	iSDT 300+	x	Ø	x	Ø	Ø	Ø	Ø	Ø	Ø					
Tadiran Coral	FlexSet 281S	x	Ø	x	x	x	x	x	x	x	2				
	FlexSet 280S	x	Ø	x	x	x	x	x	x	x					
	FlexSet 121S	x	Ø	x	x	x	x	x	x	x					
	FlexSet 120S	x	Ø	x	x	x	x	x	x	x					
	DKT 2322	x	Ø	x	x	x	x	x	x	x					
Telrad Advance IP	Murcury 33	x	Ø	x	x	x	x	x	x	x	2				
Tenovis Integral 3	TB13	x	Ø	x	x	x	x	x	x	x	4				
	TE13	x	Ø	x	x	x	x	x	x	x					
	TH13	x	Ø	x	x	x	x	x	x	x					

Multi Vendor Tap Card (MVTC) – Version 2017-09-25

Compatibility List for **EVOLUTION**neo / eco / XXL

PBX type	Phone set	MVTC type `D`												
		Audio		Bulk Recording via		Start/Stop via			Additional call information		#Wires	Passive Splitter 77513010	Supported Languages	Supported call scenarios
		B1 ch.	B2 ch.	VOX	D ch.	Connect	Key	LED	OtherParty No.	Call direction				
	TM13	x	Ø	x	x	x	x	x	x	x				
	TS13	x	Ø	x	x	x	x	x	x	x				
Tenovis Integral 5D	T3 Compact	x	Ø	x	x	x	x	x	x	x	2			
	T3 Classic	x	Ø	x	x	x	x	x	x	x				
	T3 Comfort	x	Ø	x	x	x	x	x	x	x				
Tenovis Integral 55D	T3 Classic	x	Ø	x	x	x	x	x	x	x	2			
	OS33 - operator set	x	Ø	x	x	x	x	x	x	x				
Toshiba DK 280	DKT3010-SD	x	Ø	x	x	x	x	x	x	x	2			
	DKT3020-S	x	Ø	x	x	x	x	x	x	x				
	DKT2010-SD	x	Ø	x	x	x	x	x	x	x				
	DKT2020-S	x	Ø	x	x	x	x	x	x	x				
	DKT2020-SD	x	Ø	x	x	x	x	x	x	x				
	DKT2030-S	x	Ø	x	x	x	x	x	x	x				
Toshiba CTX 100/670 CIX 100	DKT3010-SD	x	Ø	x	x	x	x	x	x	x	2			
	DKT3020-S	x	Ø	x	x	x	x	x	x	x				
	DKT2010-SD	x	Ø	x	x	x	x	x	x	x				
	DKT2020-S	x	Ø	x	x	x	x	x	x	x				
	DKT2020-SD	x	Ø	x	x	x	x	x	x	x				
	DKT2030-S	x	Ø	x	x	x	x	x	x	x				
	DKT-3512F-SD	x	Ø	x	x	x	x	x	x	x				
	DKT-3510P-SD	x	Ø	x	x	x	x	x	x	x				
	DKT-3220-SD	x	Ø	x	x	x	x	x	x	x				
	DKT-3510P-S	x	Ø	x	x	x	x	x	x	x				
	DP 5132-SD	x	Ø	x	x	x	x	x	x	x				
	DP 5022	x	Ø	x	x	x	x	x	x	x				
Vodavi 3500-01	3012-71	x	Ø	x	x	x	x	x	x	x	2			
	3015-71	x	Ø	x	x	x	x	x	x	x				