

Software Build Notice

Mitel MiVoice Connect Contact Center (MCCC)
508.10.5700.0 for MiVoice Connect 19.2 SP1
June 2021

Contents

Overview	2
NEW FEATURES FOR MCCC	2
NEW PHASED FEATURES FOR MCCC	2
No Longer Supported	2
Upgrade Information	3
IMPORTANT TIPS	3
UPGRADE PATHS	3
MIGRATIONS & UPGRADES	3
Software and Firmware Versions	4
Version Compatibility	4
MCCC & IVR DISTRIBUTION SERVER STATIONS	4
VMWARE AND HYPER-V	5
EMAIL SERVER	5
WEB SERVER (WEB CHAT)	5
MICROSOFT UPDATES	5
SUPERVISOR STATION	5
AGENT STATION (INTERACTION CENTER)	5
BROWSER SUPPORT TESTED VERSION(S) FOR CONTACT CENTER DIRECTOR/AGENT/SUPERVISOR/CHAT	5
PBX	5
Tips & Tricks – Feature Limitations	6
Known Issues	6
UNPROPAGATED FIXES	6
KNOWN DEFECTS NOT RESOLVED	6
DEFECTS RESOLVED	7

Overview

508.10.5700.0 R1808 SP1 is a build of Mitel MiVoice Connect Contact Center (MCCC).

The Build Notice provides essential, current information to ensure a successful upgrade and installation. This includes supplemental information to the current MCCC documentation suite.

NEW FEATURES FOR MCCC

- Support for Windows 2019 Server
- UI Enhancements to the Agent Interaction Center

NEW PHASED FEATURES FOR MCCC

Mitel MiVoice Contact Center Feature	Minimum build supported
Support for Windows 2019 Server	508.10.5700.0
Contact Center Redundancy	507.2.6306.0
Agent Interaction Center Localization (French, German, Spanish)	507.80.6106.0
Call Profiles on incoming interactions will now be shown on alert instead of on connect.	507.82.2602.0
Test Connection button is now present for each available email configuration (Incoming Account, Outgoing Email Accounts, Reply Email Account, General Outgoing account).	507.82.6212.0
Agent Interaction Center Localization (Swedish)	507.83.6406.0
Proxy Redundancy (see Installing and Configuring Nginx Proxy on a Redundant System in the Mitel MiVoice Connect Contact Center Installation Guide).	507.84.8207.0
HTTPS/Third-Party Certification (see the Mitel MiVoice Connect Contact Center Installation and Administration Guides for more information).	507.85.3200.0

No Longer Supported

- 2008 R2 Server OS
- 32-bit Server OS
- Agent Tool Bar integration with the Connect Client
- Integrated IM Client
- Integrated Corporate Directory
- Personal telephony settings (such as voicemail etc...)
- Dockable, minimized window
- Programmable buttons (one click wrap up code etc...)
- Trigger/pop up of native desktop applications
- Multiple language support
- RTA feed ("Agent Feed") - Replaced by current Event Feed API
- ECC Toolbar triggers – Replaced with new Director-driven URL pop-up
- LED Wall board
- Agent Board - Replaced by Agent KPI board (part of new web client)

Upgrade Information

IMPORTANT TIPS

1. Refer to the Contact Center section of the [Mitel MiVoice Connect Migration Notes](#) for detailed information about preparing for and upgrading to Mitel Connect Contact Center.
2. Certificates are a key part of the improvements to the security architecture for Connect. If the certificates are not installed properly it may adversely impact your Mitel System. Depending on customer needs, Certificates may need to be ordered in advance of the migration. Review the Certificate procedures in Mitel's Technical documentation and listen to Webinars (found by searching on Certificates and Tech Talks): <https://oneview.mitel.com/s/support>.
3. Beginning in R1805, there is an install option to enable HTTPS for Contact Center Clients. **Do not check this box unless you have Third-Party certificates and have read the Installation Guide thoroughly about the feature.** There are other components that need to be configured, and checking this box without meeting all implementation requirements will result in issues with agent log in.
4. Only migrations from ECC9 to MCCC are supported. Sites on ECC8 and earlier will require a multistep migration.
5. Contact Center Agent names must match the Mitel Director Client Usernames or the agents cannot login. Change in Director first and then in Contact Center or else the names will not synchronize.
6. There is no support for interfaces or third-party apps using the RTA "Agent Feed". The Agent Feed has been replaced by the Event Feed API.

UPGRADE PATHS

The upgrade paths supported are as follows:

- ECC9 (all GA builds) ➔ MCCC

Direct upgrades from versions prior to those listed above are not supported.

MIGRATIONS & UPGRADES

- Prior to the migration or upgrade, ensure a thorough backup has been completed and stored in a location outside of the ShoreTel folder.
 - Disable Antivirus
 - Defragment the hard disk if needed.
1. [Mitel MiVoice Contact Center Installation Guide](#). – *Contains detailed installation, upgrade, and restore instructions for:*
 - a. Contact Center Server
 - b. Email
 - c. Agent and Supervisor
 - i. As of MCCC all agents are web based. No upgrade required.
 - ii. Upgrade all supervisors to the same release as the server
 - d. CCIR
 - i. Migrate or upgrade the MCCC server first and then the CCIR server.
 - ii. CCIR cannot be installed on the same hardware as Contact Center Server

2. [Mitel MiVoice Connect Contact Center Chat Toolkit Guide](#) – Contains detailed installation, upgrade, and restore instructions for:
- Chat/Web Callback
 - MCCC Installer for Chat.
 - Note: If MCCC Chat is setup in a redundant MCCC environment, a Secondary IRN needs to be configured for failover functionality.

Software and Firmware Versions

All applications MUST be used with the minimum required version, as shown below:

Application	Minimum Build Required	Upgrade Required
Contact Center Server	508.10.5700.0	Yes
Supervisor	508.10.5700.0	Yes
IVR	508.10.5700.0	Yes
CCIR	507.81.9404.0	No, unless DNIS Names are greater than 16 characters on IRNs. See ENG-526081. There are no other fixes in CCIR after 507.81.9404.0, and no need to upgrade. Please call TAC for any questions about upgrading CCIR.
Chat Toolkit	507.83.1108.0	No. There are no new fixes in Chat Toolkit after 507.83.1108.0. There is no need to upgrade if already at this level or higher.
Web Callback	507.81.9404.0	No. There are no new fixes in Web Callback after 507.81.9404.0. There is no need to upgrade if already at this level or higher.

Version Compatibility

This build of MCCC is supported with the following OSs, platforms, and applications.

MCCC & IVR DISTRIBUTION SERVER STATIONS

- Microsoft Windows Server 2019, 64-bit Standard & Datacenter
- Microsoft Windows Server 2016, 64-bit Standard & Datacenter
- Microsoft Windows Server 2012 R2, 64-bit, Standard & Data Center

VMWARE AND HYPER-V

- VMWare vSphere 6.0, 6.5, 6.7 and 7.0 with the following guest operating systems:
 - Microsoft Windows Server 2019, 64-bit Standard & Datacenter
 - Microsoft Windows Server 2016, 64-bit Standard & Datacenter
 - Microsoft Windows Server 2012 R2, 64-bit, Standard & Data Center
- Microsoft Hyper-V 2012 R2 Windows Server 2012 R2 Generation 1 and Generation 2 with the following guest operating systems:
 - Microsoft Windows Server 2012 R2, 64-bit, Standard or Datacenter
- Microsoft Hyper-V 2016 Windows Server 2016 Generation 1 (only) with the following guest operating systems:
 - Microsoft Windows Server 2016, 64-bit, Standard or Datacenter
- Microsoft Hyper-V 2019
 - Microsoft Windows Server 2019, 64-bit, Standard or Datacenter
 - Microsoft Windows Server 2016, 64-bit, Standard or Datacenter

EMAIL SERVER

- IMAP4rev1

WEB SERVER (WEB CHAT)

- Apache Tomcat Server v7, v8, v8.5 (tested with v8.5)

MICROSOFT UPDATES

- This build was tested with all available and automatically installed Microsoft Server updates as published on or before **June 14, 2021**.
- Please search technical knowledgebase at <https://oneview.mitel.com/s/support> with "Microsoft Updates" as it will be updated should additional information become available.

SUPERVISOR STATION

- Windows 8 Professional and Enterprise, 32 and 64-bit
- Windows 8.1 Professional and Enterprise, 32 and 64-bit
- Microsoft Windows 10 Professional and Enterprise 32 and 64bit

AGENT STATION (INTERACTION CENTER)

- Web based, see Browser Support

BROWSER SUPPORT TESTED VERSION(S) FOR CONTACT CENTER DIRECTOR/AGENT/SUPERVISOR/CHAT

- Internet Explorer 11
- Firefox 70
- Safari 13.0.1
- Chrome 78
- Edge version 44.18362.387.0

PBX

- 21.87.9727.0 R1803 or higher. Tested with 22.10.7600.0.

Tips & Tricks – Feature Limitations

- To prevent issues that older clients can trigger, the following setting should be applied in Director: System Parameters --> Client Preferences --> Check the following option "Allow Only Up-to-Date Clients".
- Redundant Systems, with build 507.82.2602.0 and greater, are recommended to implement the changes for ENG-412360 - WebAgent /CCD2 takes over 1min to load up log in page after system fails over. **This will also be added to the next version of the Administrator Guide under the chapter, "Implementing the Redundant System Server".**
 - Copy files (nginx_ecc.template, readme.txt, Redundancy.bat, Redundancy_config.rb) from **Contact Center server** C:\Program Files(x86)\ShoreTel\ShoreTel Contact Center Server\nginx\conf directory to **HQ server** C:\Program Files(x86)\Shoreline Communications\ShoreWare Director\nginx\conf\more_conf directory
 - From the HQ server C:\Program Files(x86)\Shoreline Communications\ShoreWare Director\nginx\conf\more_conf directory, execute "Redundancy.bat" file from a Command (administrator) window. Follow the instructions on the console and enter the IP addresses of the HQ server, Primary and Secondary Contact Center server. An updated nginx_ecc.conf will be in the more_conf directory
 - Restart the ShoreWare-DirectorProxy service on the HQ server

Known Issues

UNPROPAGATED FIXES

In the normal course of development, all bug fixes from the prior versions have not been propagated into MCCC. Therefore, Mitel does not recommend that sites with recently resolved defects, **in builds later then shown below**, upgrade to MCCC without knowing if those defects are fixed. The known issues section below does not contain all the unpropagated fixes. The most recent releases that have their bug fixes propagated to MCCC are as follows:

Release Version	Build
ECC9 GA30	506.9.2400.0

KNOWN DEFECTS NOT RESOLVED

Defect Number	Description	Workaround
ENG-443668	Agents on Interaction center that are silent coached, silent monitored or barge-in initiated from a phone have their session permanently paused after supervisor hangs up.	The issue does not happen when the supervisor uses the Interaction Center to monitor and coach agents. The Supervisor should not use the phone. If the agent does get into this paused state it can be cleared by logging out and logging back in.

DEFECTS RESOLVED

Defect Number	Description
ENG-574519	"ACD calls transferred by agent" column does not increment correctly for blind transfers to non-monitored extensions or external destinations.
ENG-537730	Calls reported as ACD answered when Forced released.
ENG-580340	Reporting _Process.exe unexpectedly shuts down.
ENG-579373	Reply Emails going to Dead Letter email Account
MIVC-1008	Agents cannot answer offered emails dues to unexpected emma and ex_process service shutdown.
MIVC-1279	Updated Warning " <i>Return Primary Server to Normal mode</i> " while in Redundancy mode to: <i>If the primary server displays 'Faulty' (the secondary is the only master server) this action will restart the Primary, and then the Secondary, server services. If the system displays 'Island Mode', the secondary server service will be restarted. The primary server service will not be affected, and must be restarted manually, along with the Web Agent service in order to return to normal mode from Island Mode.</i>
MIVC-1835	Caller Name shown as "unknown" in interactions when recently provisioned
MIVC-1149	"System Chat Messages" not being displayed to Chatter
MIVC-1477	"Range Check Error" when opening Agent Manager
MIVC-1301	Periodically, Reply Emails are not sent to External Email address
MIVC-1931	Maritime Canada/Atlantic UTC -4 time zone added

Reference: Search for RESOLVED ISSUES on the support site at: <https://oneview.mitel.com/s/support>.