MiVoice Border Gateway – Personal Data Protection and Privacy Controls

MiVoice Border Gateway Release 12.0

Version 1.01

July 2024

NOTICE

The information contained in this document is believed to be accurate in all respects but is not warranted by Mitel Networks™ Corporation (MITEL®). The information is subject to change without notice and should not be construed in any way as a commitment by Mitel or any of its affiliates or subsidiaries. Mitel and its affiliates and subsidiaries assume no responsibility for any errors or omissions in this document. Revisions of this document or new editions of it may be issued to incorporate such changes. No part of this document can be reproduced or transmitted in any form or by any means – electronic or mechanical – for any purpose without written permission from Mitel Networks Corporation.

Trademarks

The trademarks, service marks, logos and graphics (collectively "Trademarks") appearing on Mitel's Internet sites or in its publications are registered and unregistered trademarks of Mitel Networks Corporation (MNC) or its subsidiaries (collectively "Mitel") or others. Use of the Trademarks is prohibited without the express consent from Mitel. Please contact our legal department at legal@mitel.com for additional information.

For a list of the worldwide Mitel Networks Corporation registered trademarks, please refer to the website: http://www.mitel.com/trademarks.

Contents

1	Inti	roduction	
	1.1	Overview	
	1.2	What is New in This Release	1
2	Per	rsonal Data Collected by MiVoice Border Gateway	2
3	Per	rsonal Data Processed by MiVoice Border Gateway	3
4	Per	rsonal Data Transferred by MiVoice Border Gateway	4
5	Ho	w the Security Features Relate to Data Security Regulations	5
6	Dat	Data Security Regulations	
	6.1	The European Union General Data Protection Regulation (GDPR)	10
	6.1	.1 What do Businesses need to know about GDPR?	10
7	Pro	oduct Security Information	11
	7.1	Mitel Product Security Vulnerabilities	11
	7.2	Mitel Product Security Advisories	11
	7.3	Mitel Security Documentation	11
8	Dis	claimer	12

List of Tables

Table 1: MiVoice Border Gateway Security Features which customers may require to achieve	
Compliance with Data Security Regulations	5

1 Introduction

1.1 Overview

This document is one in a series of product-specific documents that discuss the product security controls and features available on Mitel products.

This particular document will be of interest to MiVoice Border Gateway customers that are putting security processes and security controls in place to comply with GDPR.

This document is intended to assist Mitel MiVoice Border Gateway customers with their GDPR compliance initiatives by:

- Identifying the types of personal data that are processed by MiVoice Border Gateway
- Listing the MiVoice Border Gateway Security Features that customers may require to achieve GDPR compliance
- Providing a description of the MiVoice Border Gateway Security Features
- Providing information on where the MiVoice Border Gateway Security Features are documented

This document is not intended to be a comprehensive product-specific security guideline. For information on product security guidelines, product engineering guidelines or technical papers, refer to Mitel's Web Site.

1.2 What is New in This Release

MBG 12.0 includes MSL 12.1 which allows customers to enable CloudLink if they choose. If CloudLink is enabled then the CloudLink GDPR also applies.

2 Personal Data Collected by MiVoice Border Gateway

MiVoice Border Gateway is made available as both on-premises and hosted offerings. Both offerings process only personal data that is required for the delivery of communication services including technical support services. There are no end user opt-in consent mechanisms implemented in MiVoice Border Gateway.

During the course of installation, provisioning, operation and maintenance, the MiVoice Border Gateway collects data related to several types of users, including:

• End-users of MiVoice Border Gateway – typically customers of Mitel customers using Mitel phones and collaboration tools.

System administrators and technical support personnel – logs and audit trails contain records of the activities of system administrators and technical support personnel.

3 Personal Data Processed by MiVoice Border Gateway

MiVoice Border Gateway processes the following types of data:

Provisioning Data

- The end-user's business extension phone number, MAC address or SIP username and password. A descriptive free-text field may include the user's name or other identifiers.
- User credentials may be processed through the web proxy or port forwardingcapability of the MiVoice Border Gateway.

Maintenance, Administration, and Technical Support Activity Records

- System and content backups, logs, and audit trails
- o IP addresses of administrator PCs, administrator and usernames, and passwords

• User Activity Records

- o When connected, the user's current IP address is logged
- o Call signaling information is included in the application logs for diagnostics

User Personal Content

- User credentials may be processed through the web proxy or port forwardingcapability of the MiVoice Border Gateway
- Packet captures including call signaling and media may be created during troubleshooting
- Voice and video transmissions may be proxied through the MiVoice Border Gateway

MiVoice Border Gateway processes only personal data that is required for the delivery of communication services, technical support services, or other customer business interests. For example, call billing and reporting services. There are no end-user opt-in consent mechanisms implemented in the application.

4 Personal Data Transferred by MiVoice Border Gateway

Depending on the customer's configuration, and specific use requirements, the personal data collected may be processed and/or transferred between the MiVoice Border Gateway and other related systems and applications (such as voice or video calls). For example:

• Provisioning Data

- Provisioning data including user names, passwords, IP addresses, MAC addresses, telephone extension numbers, and device descriptions is replicated among all nodes in a MiVoice Border Gateway cluster and may be shared with other applications using the MiVoice Border Gateway Provisioning API, such as MiCollab Client Deployment, Mitel Performance Analytics and MiCloud Management Gateway.
- Provisioning data may be transferred to other systems as part of a system backup file or to Mitel as part of a Diagnostics upload for Product Technical Support.

Maintenance, Administration, and Technical Support Activity Records

 System logs, audit trails, and information on system usage may be transferred to another system as part of a backup or to Mitel as part of a Diagnostics upload for Product Technical Support.

User Activity Records and Personal Content

 Information about calls made and received may be transferred to another system as part of a backup or to Mitel as part of a Diagnostics upload for Product Technical Support.

Call Recording

 Recordings of calls may be transferred to authorized recording applications using the MiVoice Border Gateway Secure Recording Connector functionality of the MiVoice Border Gateway.

• Remote Proxy Service

The Remote Proxy Service may collect a user's personal data for user authentication.
 The information may include the user's username, password, first name, last name and address.

5 How the Security Features Relate to Data Security Regulations

MiVoice Border Gateway provides security-related features that allow customers to secure user data and telecommunications data and prevent unauthorized access to the user's data.

Table 1 summarizes the security features Mitel customers can use when implementing both customer policy and technical and organizational measures that the customer may require to achieve compliance with data security regulations.

Table 1: MiVoice Border Gateway Security Features which customers may require to achieve Compliance with Data Security Regulations.

Security Feature	Relationship to GDPR	Where the Feature is Documented
System and Data	Access to personal data is limited with	The administrator account is
Protection	administrative controls on accounts for both	described in the Mitel Standard
	personnel and Application Programming Interfaces.	Linux Installation and Administration Guide under "Configure the Server".
	Administrator Access	
	Administrator access is secured by a username and	For information on TLS and SSH
	password with strength validation. All access is	configuration, see the same
	encrypted using SSH version 2 or HTTPS (TLS 1.2 or	document.
	TLS 1.3). Access to the administrator web interface	TI 1471/ . D. I. C.
	by default is limited to the directly attached local	The MiVoice Border Gateway
	network. Access may be extended to other specific networks and hosts.	Provisioning API specification and Secure Recording Connector
	Hetworks and Hosts.	Developer's Guide are available
	SSH is disabled by default and should remain so	through the MSA program.
	unless needed for troubleshooting. SSH access can	and agent and the representation
	be limited to a list of authorized networks or hosts.	
	Repeated failed login attempts to SSH result in a	
	temporary ban of further login attempts from this	
	IP address.	
	API Access	
	Applications may be individually authorized to	
	connect through the Provisioning API or Secure	
	Recording Connector. Provisioning API access is	
	controlled by an OAuth enrollment mechanism for	
	each application instance. Permissions may be	
	assigned to each access token individually. Call	
	recorders must enroll by submitting a Certificate	
	Signing Request to a local Certificate Authority embedded in the product for this purpose. A	
	unique certificate is issued to each call recorder	
	and used for TLS authentication. These APIs	
	support TLS 1.2 and TLS 1.3.	

Security Feature	Relationship to GDPR	Where the Feature is Documented
Communications	Most personal data transmissions use secure	See Mitel Standard Linux Installation
Protection	channels. Channels that are not secured can be	and Administration Guide, section
	disabled by the administrator.	"Server Manager".
	Call Signaling	
	Both MiNet and SIP signaling can use TLS 1.2 and	
	TLS 1.3, and plaintext transports such as UDP can	The MiVoice Border Gateway
	be turned off or restricted to specific networks.	Provisioning API specification and Secure Recording Connector
	Voice Media	Developer's Guide are available
	Use of SRTP (AES 128) on both the WAN and LAN	through the MSA program.
	sides of calls being processed by the MiVoice	
	Border Gateway can be enforced.	
	Web UI Access	
	All access to internal web interfaces through the	
	Remote Proxy Service must use TLS 1.2 or TLS	
	1.3.	
	High-grade encryption is used. All low, medium,	
	and export-grade cipher suites are disabled by	
	default. For system integrity and reliability, all	
	provisioning interfaces use secure channels.	
	API Access	
	Application access through the Provisioning API	
	uses HTTPS (TLS 1.2 or TLS 1.3) with high-grade	
	cipher suites. Application access through the	
	Secure Recording Connector is encrypted with TLS	
	1.2 or TLS 1.3. Each application instance is	
	authenticated with a unique certificate issued by	
	the MiVoice Border Gateway administrator.	
Identity and	Access to the MiVoice Border Gateway is restricted	Mitel Standard Linux Installation and
Authentication	by a login password.	Administration Guide under "Server Manager".
	Access to the administrator UI is controlled by a	
	user name and password. The password is subject	
	to strength validation.	
	There is no end-user access to MiVoice Border	
	Gateway. Accounts are defined locally per server.	
	Transmission of the login credentials is protected	
	by TLS, and the password is stored as a secure hash.	

Security Feature	Relationship to GDPR	Where the Feature is Documented
Access and Authorization	There is no end-user (data subject) access to MiVoice Border Gateway. All personal data processing is limited to the local administrator account.	The administrator account is described in the Mitel Standard Linux Installation and Administration Guide under "Configure the Server".
	Application access through the Provisioning API can be limited to specific subsets of the data by category, such as SIP trunks or MiNet devices. Access may be read-only or read-write per application.	The MiVoice Border Gateway Provisioning API specification is available through the MSA program.
	The Remote Proxy Service may be used to authenticate a user with a target application such as MiVoice Business Contact Center or AWV.	
	Access to data files on disk requires administrator ('root') access. Sensitive data within disk files is encrypted. Access to the system shell is disabled by default. Mitel recommends its use only for troubleshooting.	
Data Deletion	The system provides an administrator with the ability to erase the end-user's personal data. User data can be removed by deleting the user's account from the administrator web interface.	See the sections "Add or Edit MiNet Devices" and "Add or Edit SIP Devices" in the online Help for instructions on deleting user device data. See the "Logging" online Help
	User information in system logs is not removed by deleting an account. Log files are purged after a configurable retention period. Similarly, information in the Concurrent Signaling Capture diagnostics is not removed until the file is rotated out; each file grows to 200 MB and a configurable number (default 14) are retained.	for log and capture retention settings.
	User information in backup files is not removed. Administrators should purge old backups and make a new backup without the end-user's personal data. Any recordings made of the user's calls must be deleted from the call recording application.	
	Certain types of logs cannot be deleted on a per user basis such as audit logs.	

Security Feature	Relationship to GDPR	Where the Feature is Documented
	However, Mitel provides the administrator with the	
	ability to delete the entire contents from all logs.	
	 Call recording information that has been transferred to a call recording server is not deleted by this step. For information on how to delete recordings from these systems refer 	
	 Logs that are transferred to external or third-party systems are not deleted by this step. For information on how to delete logs from these systems refer to the vendor's documentation. 	
Audit	Audit trails are supported to maintain records of data processing activities. All changes made by administrator accounts and connected applications (through the Provisioning API), as well as all changes originating on other nodes of a MiVoice Border Gateway cluster are logged to the Audit Log. The audit log may be sent through syslog to a central site for aggregation and analysis.	For MiVoice Border Gateway Release 10.1 and later, see the Installation and Maintenance Guide, section "Accessing Log Files" for details on the Audit Log.
	The audit log contains the IP address, administrator name or application token identifier, information on which objects were added/changed/removed, and the details of that operation. As such, the Audit Log may contain personal end-user information. The Audit Log can be accessed only by the administrator unless it has been sent to another server by syslog.	

Security Feature	Relationship to GDPR	Where the Feature is Documented
End Customer	MiVoice Border Gateway Engineering Guidelines	Details are available in various
Guidelines	are available to assist with installation, upgrades,	sections of the MiVoice Border
	and maintenance.	Gateway Installation and
		Maintenance Guide, MiVoice Border
		Gateway Engineering Guidelines,
		and the online Help. The latest
		versions of these documents are
		available at:
		https://www.mitel.com/document-
		<u>center</u>

6 Data Security Regulations

This section provides an overview of the security regulations that MiVoice Border Gateway customers may need to be compliant with.

6.1 The European Union General Data Protection Regulation (GDPR)

The European Union (EU) General Data Protection Regulation (GDPR) effective on 25 May 2018 replaces the previous EU Data Protection Directive 95/46/EC.

The intent of GDPR is to harmonize data privacy laws across Europe so that the data privacy of EU citizens can be ensured. GDPR requires businesses to protect the personal data and privacy of EU citizens for transactions that occur within EU member states. GDPR also addresses the export of personal data outside of the EU. Any business that processes personal information about EU citizens within the EU must ensure that they comply with GDPR. Under GDPR, 'processes personal information' means any operation performed on personal data, such as collecting, recording, erasing, usage, transmitting, and disseminating.

6.1.1 What do Businesses need to know about GDPR?

GDPR applies to businesses with a presence in any EU country, and, in certain circumstances, to businesses that process personal data of EU residents even if the businesses have no presence in any EU country.

In order to achieve GDPR compliance, businesses must understand what personal data is being processed within their organization and ensure that appropriate technical and organizational measures are used to adequately safeguard such data. Section 3 of this document explains what personal data is processed by Mitel's MiVoice Border Gateway and highlights available security features to safeguard such data.

7 Product Security Information

7.1 Mitel Product Security Vulnerabilities

The Product Security Policy discusses how Mitel assesses security risks, resolves confirmed security vulnerabilities, and how the reporting of security vulnerabilities is performed.

Mitel's Product Security Policy is available at: https://www.mitel.com/support/security-advisories/mitel-product-security-policy

7.2 Mitel Product Security Advisories

Mitel Product Security Advisories are available at: https://www.mitel.com/support/security-advisories

7.3 Mitel Security Documentation

Mitel security documentation includes product-specific Security Guidelines, Important Information for Customer GDPR Compliance Initiatives, and Data Protection and Privacy Controls. Mitel also has Technical Papers and White papers that discuss network security and data center security.

Mitel Product Security Documentation is available at: https://www.mitel.com/en-ca/document-center

8 Disclaimer

THIS SOLUTIONS ENGINEERING DOCUMENT IS PROVIDED "AS IS" AND WITHOUT WARRANTY. IN NO EVENT WILL MITEL NETWORKS CORPORATION OR ITS AFFILIATES HAVE ANY LIABILITY WHATSOEVER ARISING FROM IN CONNECTION WITH THIS DOCUMENT. You acknowledge and agree that you are solely responsible to comply with any and all laws and regulations in association with your use of MiVoice Border Gateway and/or other Mitel products and solutions including without limitation, laws and regulations related to call recording and data privacy. The information contained in this document is not, and should not be construed as, legal advice. Should further analysis or explanation of the subject matter be required, please contact an attorney.