

INSIGHTneo

Dashboards module



User manual

3/19/2020

Product line neo, version 6.x

The described functions can be used with the following ASC products:

EVOIPneo

EVOLUTIONneo / XXL / eco

INSPIRATIONneo

Please note that you can always find the most up-to-date technical documentation and product updates in the partner area on our website at <http://www.asctechnologies.com>.

Copyright © 2019 ASC Technologies AG. All rights reserved.

Windows is a registered trademark of Microsoft Corporation. VMware® is a registered trademark of VMware, Inc. All other marks and names mentioned herein may be trademarks of their respective companies.

Contents

| | | |
|-----------|-----------------------------------|-----------|
| 1 | General information | 4 |
| 2 | Introduction | 5 |
| 3 | Toolbar | 6 |
| 4 | Add tab | 7 |
| 5 | Delete tab | 8 |
| 6 | Add widget | 9 |
| 7 | Edit widget settings | 10 |
| 8 | Delete widget | 11 |
| 9 | Report widget | 12 |
| 9.1 | Configure report widget | 12 |
| 10 | Dashboard widget | 14 |
| 10.1 | Configure dashboard widget | 14 |
| 11 | Recording widget | 16 |
| 11.1 | Configure recording widget | 16 |
| | List of figures | 20 |
| | List of tables | 21 |
| | Glossary | 22 |

General information

In the context of this document ASC represents ASC Technologies AG, its subsidiaries, branch offices, and distributors. An up-to-date overview of the aforementioned entities can be found at <https://www.asctechnologies.com>

ASC assumes no guarantee for the actuality, correctness, integrity or quality of the information provided in the manuals.

ASC regularly checks the content of the released manuals for consistency with the described hardware and software. Nevertheless, deviations cannot be excluded. Necessary revisions are included in subsequent editions.

Some aspects of the ASC technology are described in general terms to protect the ownership and the confidential information or trade secrets of ASC.

The software programs and the manuals of ASC are protected by copyright law. All rights on the manuals are reserved including the rights of reproduction and multiplication of any kind, be it photo mechanical, typographical or on digital data media. This also applies to translations. Copying the manuals, completely or in parts, is only allowed with written authorization of ASC.

Representative, if not defined otherwise, is the technical status at the time of the delivery of the software, the devices and the manuals of ASC. Technical changes without specified announcements are reserved. Previous manuals lose their validity.

The general conditions of sales and delivery of ASC in their latest version apply.

2 Introduction

In the Dashboards module, different information is displayed in [widgets](#). A pool containing the available [widgets](#) allows users to create their own overview page which may consist of several tabs.

In general, the following [widgets](#) are available:

- Report
See [chapter "Report widget", p. 12](#)
- Dashboard
See [chapter "Dashboard widget", p. 14](#)
- Recording
See [chapter "Recording widget", p. 16](#).

It depends on your function rights which of the described [widgets](#) are available.

The layout of the [widgets](#) within a tab can be changed by means of drag and drop.

You can change between the individual tabs by clicking on the name of tabs that you would like to display.

The toolbar allows administrating and saving your personal overview page (see [chapter "Toolbar", p. 6](#)).



The following adjustments are not saved effectively before saving the current view by clicking on the menu item *Save View*:

- Newly created, empty tabs
- Deleted tabs
- Changed layout of the [widgets](#)

Open the module by clicking on the menu item *Dashboards* in the navigation bar.




Fig. 1: Menu item Dashboards



Basic information about using the application INSIGHT^{neo} can be found in the user manual *INSIGHTneo - General information*.

The toolbar offers the following functions:









Fig. 2: Toolbar


| | | |
|---|---------------------|--|
|  | <i>Create</i> | Adds a new widget or a new tab. It depends on the function rights which widgets are available. See chapter "Add widget", p. 9 or chapter "Add tab", p. 7 . |
|  | <i>Delete tab</i> | Deletes the current tab. See chapter "Delete tab", p. 8 . |
| <i>Dashboards</i> | <i>Save View</i> | Saves the current view as default view of the user. |
| <i>General</i> | <i>General Help</i> | Opens the online help. |
| | <i>Module Help</i> | Opens the module-specific online help. |


See also

-  [Add widget \[p. 9\]](#)
-  [Add tab \[p. 7\]](#)
-  [Delete tab \[p. 8\]](#)

4

Add tab

1. Click on the icon  (*Create*) in the toolbar.
2. Select the menu item *Tab*.
3. Enter a name for the new tab.



The image shows a 'Create New Tab' dialog box. It has a blue header bar with the text 'Create New Tab' and a close button (X). Below the header is a text input field labeled 'Name'. At the bottom of the dialog are two buttons: 'OK' and 'Cancel'.

Fig. 3: Add tab


4. Click on the button *OK*.
- ⇒ A new, empty tab is created and opened.
 - ⇒ The name of the tab is displayed in the header of the overview site.



Empty tabs are not saved automatically and will thus no longer be available after having logged off from the application. To save an empty tab, click on the menu item *Dashboards > Save View* in the toolbar. Once the tab has been edited, e. g. by creating a widget for it or deleting an existing widget, the view is applied automatically.


5 Delete tab

5 Delete tab

1. Open the tab you would like to delete. To do so, click on the name of the tab in the header of the overview site.
2. Click on the icon  (*Delete tab*) in the toolbar.
3. To really delete the tab, confirm the security prompt and save the current view by clicking on the menu item *Dashboards > Save View* in the toolbar.

6

Add widget

1. Click on the icon  (*Create*) in the toolbar.
2. Select the [widget](#) type you would like to add to your overview page.
3. Set the respective values in the configuration window of the [widget](#).




The adjustable parameters vary from [widget](#) to [widget](#). For a description of the individual configuration windows, see the description of the respective [widget](#).

4. Click on the button *Save* in the configuration window.
⇒ The new [widget](#) is inserted at the bottom of your overview page.
- The layout of the [widgets](#) within a tab can be changed by means of drag and drop.

7 Edit widget settings

7 Edit widget settings

1. Click on the icon  (*Settings*) in the title bar of the [widget](#).
2. Select the menu item *Settings*.
 - ⇒ The configuration window of the [widget](#) opens.
3. Make the respective changes.




The adjustable parameters vary from [widget](#) to [widget](#). For a description of the individual configuration windows, see the description of the respective [widget](#).

4. To apply the changes, click on the button *Apply*.
To discard the changes and close the window, click on the button *Cancel*.

8 Delete widget

8 Delete widget

1. Click on the icon  (*Settings*) in the title bar of the [widget](#).
2. Select the menu item *Delete Widget*.
3. To really delete the [widget](#), confirm the security prompt.

Report widget

The Report [Widget](#) allows displaying reports.





Fig. 4: Report widget




You can only see reports for the data of which you have access rights.

1. To display a report, select the report in the list.
 2. Click on the icon  (*Show preview*) in the toolbar of the [widget](#).
 3. Select the format you would like to open the report with.
 4. In the following window, click on *Open with* or on *Save file* to open the report directly or to save it in your download folder and open it from there.
- ⇒ The report is displayed in a window in the foreground.

9.1

Configure report widget

1. Click on the icon  (*Settings*) in the title bar of the [widget](#).
2. Select the menu item *Settings*.
3. Adjust the respective settings.




Fig. 5: Configure report widget

| | |
|---------------------------|--|
| Name | Name of the widget. The name is displayed in the title bar of the widget. |
| Refresh cyclically | Select whether the information displayed in the widget is supposed to be refreshed cyclically. |

| | |
|----------------|---|
| | <input checked="" type="checkbox"/> = Widget is refreshed. <input type="checkbox"/> = Widget is not refreshed. |
| <i>Refresh</i> | Refresh interval in which the widget will be refreshed cyclically if the option <i>Refresh cyclically</i> has been activated. Set the value either with the arrow keys next to the entry field or by entering it directly into the entry field via keyboard. |

4. To apply the settings, click on the button *Apply*.
To discard the settings, click on the button *Cancel*.

10

Dashboard widget

The Dashboard [Widget](#) offers the possibility to display report results in graphical form.





Fig. 6: Dashboard widget


Report results which are to be displayed in a Dashboard [Widget](#) have to be available in the Report Instances module as reports instances of the type *dashboard template*.

Depending on the definition in the report instance, the information is displayed in different types of diagrams.

10.1

Configure dashboard widget

1. Click on the icon  (*Settings*) in the title bar of the [widget](#).
2. Select the menu item *Settings*.
3. Adjust the respective settings.



| Name | Created by | Comment |
|--|-------------------|---------|
| Dashboard-Widget - Anzahl der Sessions | 1st-Tenant, Admin | |
| Durchschnittliche Gesprächsdauer | 1st-Tenant, Admin | |

Fig. 7: Configure dashboard widget

| | |
|---------------------------|---|
| Name | Name of the widget . The name is displayed in the title bar of the widget. |
| Refresh cyclically | Select whether the information displayed in the widget is supposed to be refreshed cyclically. <input checked="" type="checkbox"/> = Widget is refreshed. <input type="checkbox"/> = Widget is not refreshed. |
| Refresh | Refresh interval in which the widget will be refreshed cyclically if the option <i>Refresh cyclically</i> has been activated. |

| | |
|--------------|---|
| | Set the value either with the arrow keys next to the entry field or by entering it directly into the entry field via keyboard. |
| <i>Table</i> | <p>The table displays all available report instances.</p> <p>Select the report instance you would like to display as dashboard by clicking on the entry in the table.</p> |

4. To apply the settings, click on the button *Apply*.
To discard the settings, click on the button *Cancel*.

11

Recording widget

The recording [widget](#) offers the possibility to display and export the statistic values of the recording compiled every hour.




Fig. 8: Recording dashboard









To be able to see information in the recording [widget](#), the recording dashboard templates *Total number of calls*, *Average call duration*, and/or *Maximum number of concurrent calls* provided within the system must have been imported in the Report Templates module and the corresponding recording dashboard instances created and released in the Report Instances module.



For information about using the Report Templates module and the Report Instances module refer to the respective INSIGHT^{neo} user manuals.


Depending on the configuration of the [widget](#), the following information is displayed:

| | |
|---|---|
|  | Number of outgoing calls |
|  | Number of incoming calls |
|  | Total number of calls |
|  | Maximum number of concurrent calls |
|  | Average call duration in seconds |
|  | Trend <ul style="list-style-type: none"> • Upward • Downward • Unchanged |

11.1

Configure recording widget

Configuration of the widget

1. Click on the icon  (*Settings*) in the title bar of the [widget](#).
2. Select the menu item *Settings*.

- Adjust the respective settings.





Fig. 9: Configure recording widget

| | |
|---------------------------|---|
| Name | Name of the widget . The name is displayed in the title bar of the widget. |
| Refresh cyclically | Select whether the information displayed in the widget is supposed to be refreshed cyclically. <input checked="" type="checkbox"/> = Widget is refreshed. <input type="checkbox"/> = Widget is not refreshed. |
| Refresh | Refresh interval in which the widget will be refreshed cyclically if the option <i>Refresh cyclically</i> has been activated. Set the value either with the arrow keys next to the entry field or by entering it directly into the entry field via keyboard. |

- To apply the settings, click on the button *Apply*.
To discard the settings, click on the button *Cancel*.

Selection of statistic values

- Click on the icon  (*Settings*) in the title bar of the [widget](#).
- Select the menu item *Statistic Values*.
- Select 1 or several statistic values.





Fig. 10: Select statistic values

| | |
|-----------------------|--|
| Incoming calls | Will display the total number of recorded calls with the conversation direction <i>incoming</i> within the considered period in the widget . |
|-----------------------|--|

| | |
|--|--|
| <i>Outgoing calls</i> | Will display the total number of recorded calls with the conversation direction <i>outgoing</i> within the considered period in the widget . |
| <i>Total number of calls</i> | Will display the total number of recorded calls regardless of the conversation direction within the considered period in the widget . |
| <i>Average call duration</i> | Will display the average duration of recorded calls within the considered period in the widget . The average duration is displayed in seconds. |
| <i>Maximum number of concurrent recordings</i> | Will display the maximum number of concurrently recorded calls in the widget based on the licenses deployed to do so. |

- To apply the selection, click on the button *Apply*.
To discard the selection and close the window, click on the button *Cancel*.

Configure dashboard parameters

- Click on the icon  (*Settings*) in the title bar of the [widget](#).
- Select the menu item *Dashboard Parameters*.
- Adjust the respective settings.




Fig. 11: Configure dashboard parameters

| | |
|--------------------------|---|
| <i>Considered period</i> | <p>Select the considered period from the drop-down list.</p> <p>The following options are available:</p> <ul style="list-style-type: none"> • <i>Last Hour</i> • <i>Last 12 Hours</i> • <i>Today</i> • <i>This Week</i> • <i>This Month</i> • <i>This Quarter</i> |
| <i>Show trend</i> | <p>Select whether a trend is supposed to be displayed.</p> <p><input checked="" type="checkbox"/> = Trend is displayed.</p> <p><input type="checkbox"/> = No trend is displayed.</p> <p>The following comparison periods for the trends are available:</p> <ul style="list-style-type: none"> • <i>last hour/the hour before</i> • <i>last 12 hours/the 12 hours before</i> • <i>today/yesterday</i> |

- *this week/last week*
- *this month/last month*
- *this quarter/last quarter*

4. To apply the selection, click on the button *Apply*.
To discard the selection and close the window, click on the button *Cancel*.

List of figures

| | | |
|---------|--------------------------------------|----|
| Fig. 1 | Menu item Dashboards | 5 |
| Fig. 2 | Toolbar | 6 |
| Fig. 3 | Add tab | 7 |
| Fig. 4 | Report widget | 12 |
| Fig. 5 | Configure report widget | 12 |
| Fig. 6 | Dashboard widget | 14 |
| Fig. 7 | Configure dashboard widget | 14 |
| Fig. 8 | Recording dashboard | 16 |
| Fig. 9 | Configure recording widget | 17 |
| Fig. 10 | Select statistic values | 17 |
| Fig. 11 | Configure dashboard parameters | 18 |

List of tables

Glossary

Widget

Component of a graphical dialog system. Consists of a visible window and an invisible object which saves the configuration of the component. Is used for the interaction with the user and the automatically updatable display of information.